

Product	Location	% Asbestos	Dates of Use
ROOFING & SIDING			
Roofing felts	Flat, built up roofs	10-15	1910-present
Roof felt shingles	Roofs	1	1971-1974
Roofing shingles	Roofs	20-32	?-present
Roofing Tiles	Roofs	20-30	1930-present
Siding shingles	Siding	12-14	?-present
Clapboards	Siding	12-15	1944-1945
WALLS & CEILINGS			
Sprayed coating	Ceilings, walls, and steelwork	1-95	1935-1978
Troweled coating	Ceilings, walls	1-95	1936-1978
Asbestos-cement sheet	Near heat sources such as fireplaces, boilers	20-50	1930-present
Spackle	Walls, ceilings	3-5	1930-1978
Joint compounds	Walls, ceilings	3-5	1945-1977
Textured paints	Walls, ceilings	4-15	?-1978
Millboard, rollboard	Walls, commercial buildings	80-85	1925-?
Vinyl wallpaper	Walls	6-8	?
Insulation board	Walls	30	?
FLOORS			
Vinyl-asbestos tile	Floors	21	1950-1980?
Asphalt-asbestos tile	Floors	26-33	1920-1980?
Resilient sheet flooring	Floors	30	1950-1980?
Mastic adhesives	Sheet flooring and tile backing	5-25	1945-1980?
PIPES & BOILERS			
Cement pipe and fittings	Water and sewer mains	20-?	1935-present
Block insulation	Boilers	6-15	1890-1978
Preformed pipe wrap	Pipes	50	1926-1975
Corrugated asbestos paper	Pipes, high temp., moderate temp.	90 35-70	1935-1980? 1910-1980?
Paper tape	Furnaces, steam valves, flanges, electrical wiring	80	1901-1980?

Putty (mudding)	Plumbing joints	20-100	1900-1973
OTHER PRODUCTS			
Gaskets/Packing	Pipe flanges, boiler doors, valves, pumps	10-80	1900-1980s
Cloth/Blankets	Welding accessory, pipe insulation, curtains, clothing	40-100	1900-1985
Clothing (gloves, mittens, sleeves, aprons, coats, jackets, pants, hoods, spats)	Heat and fire resistant protective clothing	40-100	1900-1985
cement/mortar	Used as a castable insulation on furnaces, pipes, boilers, brick	5-100	1900-1975
metal-clad firebrick	Found in Open Hearth Furnaces and Basic Oxygen Furnaces	10	1950-1980s
gunnite/fire-proofing spray	Sprayed onto furnaces as well as structural steel for fireproofing protection	20-75	1900-1980s
hot-tops (ingot mold covers and inserts)	Used with ingot molds in the steel pouring process	10-80	1960-1980